## Public Health--Seattle/King County HIV/AIDS Monthly Surveillance Report

Through September 30, 2008<sup>1</sup>

|   | Currently Reported<br>Living With<br>HIV Including AIDS<br>Number Percent |      | Currently Reported<br>Living With<br>AIDS<br>Number Percent |      | Currently Reported<br>Living With<br>HIV NOT AIDS<br>Number Percent |      |
|---|---|------|---|------|---|------|
| KING COUNTY TOTAL LIVING                    | 6,305   | 100% | 3,532   | 100% | 2,773   | 100% |
| SEX   |   |      |   |      |   |      |
| Male  | 5,673   | 90%  | 3,185   | 90%  | 2,488   | 90%  |
| Female                                      | 632   | 10%  | 347   | 10%  | 285   | 10%  |
| RACE-ETHNICITY                              |   |      |   |      |   |      |
| White, Non-Hispanic                         | 4,312   | 68%  | 2,374   | 67%  | 1,938   | 70%  |
| Black, Non-Hispanic                         | 1,043   | 17%  | 605   | 17%  | 438   | 16%  |
| Hispanic/Latino                             | 601   | 10%  | 361   | 10%  | 240   | 9%   |
| Asian                                       | 184   | 3%   | 99  | 3%   | 85  | 3%   |
| Native Hawaiian and Other Pacific Islander  | 13  | <1%  | 6   | <1%  | 7   | <1%  |
| Native American/Alaskan Native              | 85  | 1%   | 54  | 2%   | 31  | 1%   |
| Two or more races                           | 55  | 1%   | 33  | 1%   | 22  | 1%   |
| Undetermined Race                           | 12  | <1%  | 0   | 0%   | 12  | <1%  |
| AGE AT DIAGNOSIS OF HIV INFECTION           |   |      |   |      |   |      |
| 0-12 Years                                  | 28  | <1%  | 7   | <1%  | 21  | 1%   |
| 13-19 Years                                 | 117   | 2%   | 68  | 2%   | 49  | 2%   |
| 20-29 Years                                 | 1,819   | 29%  | 938   | 27%  | 881   | 32%  |
| 30-39 Years                                 | 2,683   | 43%  | 1,568   | 44%  | 1,115   | 40%  |
| 40-49 Years                                 | 1,279   | 20%  | 737   | 21%  | 542   | 20%  |
| 50-59 Years                                 | 318   | 5%   | 183   | 5%   | 135   | 5%   |
| 60+ Years                                   | 61  | 1%   | 31  | 1%   | 30  | 1%   |
| MODE OF TRANSMISSION                        |   |      |   |      |   |      |
| Men Who Have Sex With Men (MSM)             | 4,347   | 69%  | 2,354   | 67%  | 1,993   | 72%  |
| Injection Drug User (IDU)                   | 341   | 5%   | 220   | 6%   | 121   | 4%   |
| MSM & IDU                                   | 533   | 8%   | 342   | 10%  | 191   | 7%   |
| Blood Exposure                              | 36  | 1%   | 23  | 1%   | 13  | <1%  |
| Heterosexual <sup>2</sup>                   | 606   | 10%  | 372   | 11%  | 234   | 8%   |
| Perinatal                                   | 21  | <1%  | 5   | <1%  | 16  | 1%   |
| Undetermined/Other                          | 421   | 7%   | 216   | 6%   | 205   | 7%   |
| RESIDENCE AT CURRENT DIAGNOSIS <sup>3</sup> |   |      |   |      |   |      |
| Seattle                                     | 5,108   | 81%  | 2,835   | 80%  | 2,273   | 82%  |
| King Co., Excluding Seattle                 | 1,197   | 19%  | 697   | 20%  | 500   | 18%  |
| King County Deaths (Cumulative)             | 4,408   |      | 4,263   |      | 145   |      |
| WASHINGTON STATE TOTAL LIVING               | 10,033  |      | 5,717   |      | 4,316   |      |
| Washington State Deaths                     | 6,868   |      | 6,604   |      | 264   |      |
| U.S. TOTAL LIVING (12/31/06)4               | 733,783   |      | 448,870   |      | 284,913   |      |
| U.S. Deaths (12/31/06) <sup>4</sup>         | 568,969   |      | 565,927   |      | 3,042   |      |
| 5.5. 5 5atilo (12/01/00)                    | 300,000   |      | 000,021   |      | 0,042   |      |

## Notes

- 1) These data are subject to delays in reporting; annual adjusted data are presented in HIV/AIDS Epidemiology. Reports at http://www.metrokc.gov/health/apu/epi/epireports.htm. AIDS case numbers are very complete despite delays in reporting, but the HIV case numbers are incomplete for two reasons. HIV diagnosed prior to implementing HIV infection reporting in Washington in September 1999 are incomplete. In addition, many persons with HIV infection have not yet been diagnosed. Of the estimated 7,200-7,800 King County residents living with HIV infection or AIDS 6,305 are described above, some are not yet reported to Public Health, and some have not yet been diagnosed In some months the total number of persons living with HIV or AIDS may be smaller than published previously because of updated information on deaths, previous diagnoses in other states, duplicate reports, or error.
- 2) Includes 134 presumed heterosexual cases (females who deny injection drug use but have had sexual intercourse with a man whose HIV status and HIV risk behaviors are unknown).
- 3) Residence at the time of diagnosis with AIDS (for AIDS cases) or HIV (for HIV cases).
- 4) These are the most recent U.S. available data. U.S. "HIV NOT AIDS" data are for the 45 states and areas with confidential named-based HIV infection reporting. HIV deaths were imputed from CDC data tables.